CONTENTS OF VOLUME 48

NORTHERN MICHIGA
UNIVERSITY
JAN 05 1999
LIBRARY

Number 1

Announcement ix

Graphical Abstracts xi

Review Article 130

Bufadienolides from animals and plant sources 1 L. KRENN and B. KOPP

Growth and Metabolism

Inhibition of ethylene production and 1-aminocycloprotane-1-carboxylate oxidase activity by tropolones 31 F. MIZUTANI, A. B. M. G. RABBANY and H. AKIYOSHI

Alcohol dehydrogenases from olive (*Olea europaea*) fruit 35 J. J. SALAS and J. SÁNCHEZ

Seasonal variation of peroxidase activity in chestnut trees 41 E. A. HAVIR and S. L. ANAGNOSTAKIS

A cell wall-bound β-glucosidase from germinated rice: purification and properties 49 T. AKIYAMA, H. KAKU and N. SHIBUYA

The interaction of shikimic acid and protein phosphorylation with pep carboxylase from the C_4 dicot *Amaranthus viridis* 55 S. L. COLOMBO, C. S. ANDREO and A. CHOLLET

Characterization of a second calcium-dependent protein kinase from winged bean 61 S. GANGULY and M. SINGH

Conflicting evidence for non-methyl galacturonoyl esters in *Daucus carota* 71 P. W. NEEDS, N. M. RIGBY, I. J. COLQUHOUN and S. G. RING

Biosynthesis

Lysine decarboxylase transgenic tobacco root cultures biosynthesize novel hydroxycinnamoylcadaverines 79 J. BERLIN, C. MOLLENSCHOTT, S. HERMINGHAUS and L. F. FECKER

Biosynthesis of polyether macrolide goniodomin A from the dinoflagellate *Alexandrium hiranoi* 85 M. MURAKAMI, Y. OKITA, H. MATSUDA, T. OKINO and K. YAMAGUCHI

Distribution of ginkgolides and terpenoid biosynthetic activity in *Ginkgo biloba* 89 D. J. CARRIER, T. A. VAN BEEK, R. VAN DER HEIJDEN and R. VERPOORTE

Involvement of protein kinase and G proteins in the signal transduction of benzophenanthridine alkaloid biosynthesis 93 G. B. MAHADY, C. LIU and C. W. W. BEECHER

Cell Culture and Biotechnology

Acylgucosyl isofucosterol from cell cultures of *Lycopersicon esculentum* 103 S. DE ROSA, A. DE GIULIO, G. TOMMONARO and M. A. BELISARIO

Anthraquinones from *Ophiorrhiza pumila* tissue and cell cultures 107 M. KITAJIMA, U. FISCHER, M. NAKAMURA, M. OHSAWA, M. UENO, H. TAKAYAMA, M. UNGER, J. STÖCKIGT and N. AIMI

Induction of furanocoumarin biosynthesis in *Glehnia littoralis* cell suspension cultures by elecitor treatment 113 Y. KITAMURA, T. IKENAGA, Y. OOE, N. HIRAOKA and H. MIZUKAMI

Formation of pavine alkaloids by callus culture of *Cryptocarya chinensis* 119 W.-T. CHANG, S.-S. LEE, F.-S. CHUEH and K. C. S. LIU

Bioactive Plant Products

Mode of antibacterial action of retrochalcones from *Glycyrrhiza inflata* — 125 H. Haraguchi, K. Tanimoto, Y. Tamura, K. Mizutani and T. Kinoshita

Antihistaminic flavones and aliphatic glycosides from *Mentha spicata* — 131 S. Yamamura, K. Ozawa, K. Ohtani, R. Kasai and K. Yamasaki

Bioactive sesquiterpene pyridine alkaloids from *Maytenus aquifolium* — 137 J. Corsino, V. Da Silva Bolzani, A. M. S. Pereira, S. C. França and M. Furlan

Plant Chemistry

Glaucabellin and glaucaflorin, two acetogenins from *Annona glauca* — 141 A.-I. Waechter, M. Szlosek, R. Hocquemiller, A. Laurens and A. Cavé

An aromadenrane-type sesquiterpenoid from the liverwort *Calypogeia azurea* — 147 H. Tazaki, T. Okihara, H. Koshino, K. Kobayashi and K. Nabeta

Longipinene diesters from *Stevia lucida* — 151 D. Guerra-Ramírez, C. M. Cerda-García-Rojas, A. M. Puentes and P. Joseph-Nathan

Diterpenoids from *Isodon gesneroides* — 155 S.-N. Chen, H.-J. Zhang, Z.-W. Lin, Y.-Z. Chen and H.-D. Sun

Diterpene acids from *Conyza incana* — 159 A. M. Galal, E. Abdel-Sattar, F. S. El-Feraly, J. S. Mossa, M. R. Meselhy, S. Kadota and T. Namba

Three furano-diterpenes from the bark of *Croton campestris* — 165 F. El Babili, C. Moulis, M. Bon, M.-J. Respaud and I. Fourasté

Cecropioic acid, a pentacyclic triterpene from *Musanga cecropioides* — 171 D. Lontsi, B. L. Sondengam, M. T. Martin and B. Bodo

Triterpenoid saponins from *Guillaja saponaria* — 175 S. Guo, L. Kenne, L. N. Lundgren, B. Rönnberg and B. G. Sundquist

Parviflorin a phenanthropyran from *Vanda parviflora* — 181 V. Anuradha and N. S. Prakasa Rao

Tessallatin a phenanthropyran from *Vanada tessalata* — 183 V. Anuradha and N. S. Prakasa Rao

Aeridin: a phenanthropyran from *Aeides cirspum* — 185 V. Anuradha and N. S. Prakasa Rao

Pterocarpans from *Ononis viscosa* subsp. *breviflora* — 187 A. F. Barrero, E. Cabrera and I. R. Garcia

Norditerpenoid alkaloids form *Delphinium siwanense* var. *leptogen* — 191 S. Zhang and Q. Ou

Short Reports

A sesquiterpene from *Gardenia sootepensis* — 197 V. Rukachaisirikul, S.-A. Naovantt, W. C. Taylor, W. A. Bubb and P. Dampawan

Sesquiterpene lactones from *Ixeris sonchifolia* — 201 J.-Y. Ma, Z.-T. Wang, L.-S. Xu, G.-J. Xu, S. Kadota and T. Namba

A germacrolide glucoside from *Lactuca tatarica* — 205 W. Kisiel and B. Barszcz

A labdane diterpene glycoside from fruit of *Vitex rotundifolia* — 207 M. Ono, Y. Ito and O. Nohara

Two triterpenoids from *Gentiana neurotheca* — 211 E. M. Anam

A naphthoquinone from *Newbouldia laevis* roots — 215 S. Gafner, J.-L. Wolfender, M. Nianga and K. Hostettmann

Number 2

Announcement ix

Graphical Abstracts xi

Growth and Metabolism

Pepsin inhibitor from roots of *Anchusa strigosa* 217 G. M. Abuereish

Inhibition of O_2-reducing activity of horseradish peroxidase by diphenyleneiodonium 223 G. Frahry and P. Schopfer

Saccorhiza polyschides (phaeophyceae; phyllariaceae) A new source for vanadium-dependent haloperoxidases 229 M. Almeida, M. Humanes, R. Melo, J. A. Silva, J. J. R. Fraústo da Silva, H. Vilter and R. Wever

Inhibition of germination by glucose analogues that are hexokinase substrates 241 N. K. Matheson and D. K. Myers

Multiple forms of polygalacturonase from banana fruits 249 N. Pathak and G. G. Sanwal

Essential carboxyl and tryptophan residues in jack bean α-D-mannosidase 257 H. M. Burrows and R. A. Rastall

Delta-9 desaturase activity in developing cotyledons of sunflower (*Helianthus annuus*. L) 261 G. Griffiths, W. T. Griffiths and A. K. Stobart

Relationship between boron and phenolic metabolism in tobacco leaves 269 J. M. Ruiz, G. Bretones, M. Baghour, L. Ragala, A. Belakbir and L. Romero

Cell Culture and Biotechnology

Production of cornoside in *Abeliophyllum distichum* cell suspension cultures 273 H. Yamamoto, K. Yoshida, Y. Kondo and K. Inoue

Anthocyanin production of *Glehnia littoralis* callus cultures 279 H. Miura, Y. Kitamura, T. Ikenaga, K. Mizobe, T. Shimizu, M. Nakamura, Y. Kato, T. Yamada, T. Maitani and Y. Goda

Indolopyridoquinazoline, furoquinoline and canthinone type alkaloids from *Phellodendron amurense* callus tissues 285 A. Ikuta, T. Nakamura and H. Urabe

Bacterial biotransformation of 3α(S)-strictosidine to the monoterpenoid indole alkaloid vallesiachotamine 293 Z. Shen, W. Eisenreich and T. M. Kutchan

Chemotaxonomy

Triterpenoid constituents of the moss *Floribundaria aurea* subsp. *nipponica* 297 M. Toyota, K. Masuda and Y. Asakawa

Bioactive Plant Products

Sasanquol, a 3,4-*seco*-triterpene alcohol from sasanqua oil, and its anti-inflammatory effect 301 T. Akihisa, K. Yasukawa, Y. Kimura, S. Yamanouchi and T. Tamura

Plant Chemistry

γ-Lactones from *Trichilia claussenii* 307 M. T. Pupo, P. C. Vieira, J. B. Fernandes and M. F. D. G. F. da Silva

Volatile components in okra seed coat 311 M. Camciuc, J. M. Bessière, G. Vilarem and A. Gaset

Five trimeric secoiridoid glucosides from *Jasminum polyanthum* 317 Y. Takenaka, T. Tanahashi and N. Nagakura

Chamaedrydiol, an ursane triterpene from *Marsypianthes chamaedrys*	323	F. DE S. MENEZES, Â. S. BORSATTO, N. A. PEREIRA, F. J. DE ABREU MATOS and M. A. C. KAPLAN
Four stilbenoids from *Pleione bulbocodioides*	327	L. BAI, N. MASUKAWA, M. YAMAKI and S. TAKAGI
Dimeric and trimeric ellagitannins from *Corylus heterophylla*	333	Z.-X. JIN, H. ITO and T. YOSHIDA
Phenylpropanoids and flavonoid glycosides from *Lysionotus pauciflorus*	339	Y. LIU, H. WAGNER and R. BAUER
Geranylated flavonoids from *Dorstenia poinsettifolia*	345	A. TSOPMO, M. TENE, P. KAMNAING, D. NGNOKAM, J. F. AYAFOR and O. STERNER
Geranylated and prenylated flavonoids from the twigs of *Dorstenia mannii*	349	B. T. NGADJUI, B. M. ABEGAZ, E. DONGO, H. TAMBOUE and K. FOGUE
Three isoflavanones from *Erythrina orientalis*	355	H. TANAKA, T. TANAKA, A. HOSOYA, Y. KITADE and H. ETOH
A pterocarpan from *Ulex parviflorus*	359	P. MÁXIMO and A. LOURENÇO
Carbazoloquinones from *Murraya koenigii*	363	C. SAHA and B. K. CHOWDHURY
Protoberberine alkaloids from *Fissistigma balansae*	367	Y.-C. CHIA, F.-R. CHANG, C.-M. LI and Y.-G. WU
Alkaloids from *Crinum amabile*	371	L. H. PHAM, W. DÖPKE, J. WAGNER and C. MÜGGE
Dimeric tropane alkaloids from *Erythroxylum moonii*	377	ATTA-UR-RAHMAN, K. F. KHATTAK, F. NIGHAT, M. SHABBIR, K. D. HEMALAL and L. M. TILLEKERATNE
Norditerpenoid alkaloids from *Delphinium pyrimadale*	385	A. ULUBELEN, M. ARFAN, U. SÖNMEZ, A. H. MERIÇLI and F. MERIÇLI
Flavonoid cellobiosides from *Salvia uliginosa*	389	N. C. VEITCH, R. J. GRAYER, J. L. IRWIN and K. TAKEDA

Short Reports

Acyclic monoterpenes from the essential oil of *Tagetes minuta* flowers	395	S. N. GARG and V. K. MEHTA
Two methoxylated flavone glycosides from *Bidens pilosa*	397	M. G. L. BRANDÃO, C. G. C. NERY, M. A. S. MAMÃO and A. U. KRETTLI
An isoflavone glucoside from *Retama sphaerocarpi* boissier	401	M. L. LÁZARO, C. MARTÍN-CORDERO, F. IGLESIAS-GUERRA and M. J. A. GONZÁLEZ
An isopavine alkaloid from *Thalictrum minus*	403	A. K. SIDJIMOV, J. N. TAWARA, F. R. STERMITZ and C. D. RITHNER

Book Reviews

Phytoplankton Pigments in Oceanography: Guidelines to Modern Methods	407	L. ROGERS
Genetic Engineering: Principles and Methods	408	J. A. BRYANT
Polyamine Protocols	409	T. A. SMITH
Insecticides of Natural Origin	409	J. B. HARBORNE
Medicinal Natural Products: A Biosynthetic Approach	410	J. MANN

Number 3

Graphic Abstracts ix

Growth and Metabolism

Gibberellic acid stimulation of isoperoxidase from pedicel of grape 411 F. J. Pérez and M. Gomez

Nitrite production from the oxidation of salicylhydroxamic acid by peroxidase or Mn(II) 415 H. G. Weger and J. A. Lynnes

Nepetalactol oxidoreductase in trichomes of the catmint *Nepeta racemosa* 421 D. L. Hallahan, J. M. West, D. W. M. Smiley and J. A. Pickett

Synthesis of storage reserves in dveloping seeds of sunflower 429 H. Mazhar, R. Quayle, R. J. Fido, A. K. Stobart, J. A. Napier and P. R. Shewry

Ecological Biochemistry

Allelopathic potential of 5-chloro-6-methoxy-2-benzoxazolinone 433 H. Kato-Noguchi, S. Kosemura and S. Yamamura

Oxindoles from *Phalaris coerulescens* 437 N. Anderton, P. A. Cockrum, S. M. Colegate, J. A. Edgar, K. Flower, I. Vit and R. I. Willing

Biosynthesis

Effects of pebulate and pebulate sulphoxide on very long chain fatty acid biosynthesis 441 P. B. Barrett and J. L. Harwood

Long-chain polyprenols and rubber in young leaves of *Hevea brasiliensis* 447 J. Tangpakdee and Y. Tanaka

Cell Culture and Biotechnology

Biotransformation of 2-benzoxazolinone and 6-methoxy-benzoxazolinone by *Fusarium moniliforme* 451 Q. Yue, C. W. Bacon and M. D. Richarson

Essential oils from hairy root cultures and from fruits and roots of *Pimpinella anisum* 455 P. M. Santos, A. C. Figueiredo, M. M. Oliveira, J. G. Barroso, L. G. Pedro, S. G. Deans, A. K. M. Younus and J. J. C. Scheffer

Biotransformation of shiromodiol diacetate, myli-4(15)-en-9-one and myliol by *Aspergillus niger* 461 K.-I. Hayashi, K.-I. Asano, M. Tanaka, D. Takaoka and H. Nozaki

Metabolic inversion of the 3-hydroxy function of brassinosteroids 467 A. Kolbe, B. Schneider, A. Porzel and G. Adam

Chemotaxonomy

Chemical constituents of aquatic fern *Azolla nilotica* 471 Y. Arai, T. Nakagawa, M. Hitosugi, K. Shiojima, H. Ageta and O. B. Abdel-Halim

Sterols of the brown tide alga *Aureococcus anophagefferens* 475 J.-L. Giner and G. L. Boyer

Bioactive Plant Products

Biological activities of some galactomannas and their sulfated derivatives 479 M. M.-D. Hussein, W. A. Helmy and H. M. Salem

Steroidal saponins from the underground parts of *Ruscus aculeatus* and their cytostatic activity on HL-60 cells 485 Y. Mimaki, M. Kuroda, A. Kameyama, A. Yokosuka and Y. Sashida

Alphitol, a phenolic substance from *Alphitonia zizyphoides* which inhibits prostaglandin biosynthesis *in vitro* 495 C. A. Dunstan, B. Liu, C. J. Welch, P. Perera and L. Bohlin

Plant Chemistry

Bulladecin and atemotetrolin, two bis-tetrahydrofuran acetogenins from *Annona atemoya* seeds — 499 P. Duret, R. Hocquemiller and A. Cavé

A hydroxy tetradecatrienoic acid from *Mycosphaerella rubella* — 507 A. Arnone, G. Nasini and O. Vajna De Pava

Two acylated monoterpene glucosides from *Paeonia peregina* — 511 I. N. Kostova, M. F. Simeonov, D. I. Todorova and P. L. Petkova

A germacranolide from *Vicoa indica* — 515 D. D. Sawaikar, S. R. Rojatkar, B. A. Nagasampagi and V. G. Puranik

Eremophilane sesquiterpenes from *Caclia roborowskii* — 519 S. Zhang, G. Zhao, R. Li and G. Lin

Triterpenoid saponins from *Hedyotis nudicaulis* — 525 M. Konishi, Y. Hano, M. Takayama, T. Nomura, A. S. Hamzah, R. Ahmad and H. Jasmani

Triterpenoid saponins and sapogenins from *Vaccaria segetalis* — 529 Z. Jia, K. Koike, M. Kudo, H. Li and T. Nikaido

Three phenylethanoid glycosides and an iridoid glycoside from *Picrorhiza scrophulariiflora* — 537 J. X. Li, P. Li, Y. Tezuka, T. Namba and S. Kadota

Further monoterpene 5-methylcoumarins and an acetophenone derivative from *Ethulia conyzoides* — 543 A. A. Mahmoud, A. A. Ahmed, M. Inuma and T. Tanaka

Synthesis of 5-hydroxy-6- and 8-methylflavones and their ultraviolet spectral differentiation — 547 M. Hauteville, M. Rakotovao, M.-C. Duclos and B. Voirin

Short Reports

Cyclopeptide from the seeds of *Annona muricata* — 555 Li Chao-Ming, Tan Ning-Hua, Zheng Hui-Lan, Mu Qing, Hao Xiao-Jiang, He Yi-Neng and Zou Jun

An abietane diterpenoid from *Leonurus marrubiastrum* — 557 P. Y. Malakov, G. Y. Papanov, K. N. Tomova, B. Rodriguez and M. C. De La Torre

Neriifolione, a triterpene from *Euphorbia neriifolia* — 561 M. Ilyas, M. Parveen and K. M. Y. Amin

Quassionoids from *Ailanthus vilmoriniana* — 565 K. Takeya, H. Kobata, A. Ozeki, H. Morita and H. Itokawa

A phenylpropanoid glycoside from *Vaccaria segetalis* — 569 S. Sang, A. Lao, H. Wang, Z. Chen, J. Uzawa and Y. Fujimoto

Flavonoids from *Phlomis nissolii* — 573 F. Bucar, S. Ninov, I. Ionkova, T. Kartnig, M. Schubert-Zsilavecz, I. Asenov and B. Konuklugil

Flavones and isoflavones from *Millettia ichthyochtona* — 577 C. Kamperdick, N. M. Phuong, T. V. Sung and G. Adam

Volatile alkaloids from *Areca catechu* — 581 D. K. Holdsworth, R. A. Jones and R. Self

Sym-triazine derivative from *Halimeda xishaensis* — 583 J.-Y. Su, X.-H. Xu, L.-M. Zeng, M.-Y. Wang, N. Lu, Y. Lu and Q.-T. Zhang

Book Reviews

Common Fragrance and Flavor Materials, by K. Bauer, D. Garbe and H. Surbury — 585 J. B. HARBORNE

Studies in Natural Products Chemistry, edited by Atta-ur-Rahman — 585 J. MANN

Number 4

Graphic Abstracts vii

Growth and Metabolism

Identification of GA_{113}, GA_{114}, GA_{115} and GA_{116} and further novel gibberellins in *Raphanus sativus* — 587 M. NAKAYAMA, T. NISHIJIMA, M. KOSHIOKA, H. YAMANE, D. J. OWEN and L. N. MANDER

Brassinosteroids in *Arabidopsis thaliana* — 595 S. FUJIOKA, T. NOGUCHI, T. YOKOTA, S. TAKATSUTO and S. YOSHIDA

Coniferyl alcohol oxidase operates through a bound free-radical intermediate — 601 N. DEIGHTON and G. J. MCDOUGALL

A xyloglucan from persimmon fruit cell walls — 607 A. CUTILLAS-ITURRALDE, M. J. PEÑA, I. ZARRA and E. P. LORENCES

Distribution of phenolic compounds in the seagrass *Posidonia oceanica* — 611 S. AGOSTINI, J.-M. DESJOBERT and G. PERGENT

Substrate analogues and inhibition of ACC oxidase: conversion of *D*-valine to *iso*-butanal — 619 E. J. GIBSON, Z. XHANG, J. E. BALDWIN and C. J. SCHOFIELD

Ecological Biochemistry

Phytotoxicity of three lactones from *Nigrospora sacchari* — 625 T. FUKUSHIMA, M. TANAKA, M. GOHBARA and T. FUJIMORI

Bioactive norsesquiterpenes from *Helianthus annuus* with potential allelopathic activity — 631 F. A. MACÍAS, R. M. VARELA, A. TORRES, R. M. OLIVA and J. M. G. MOLIMILLO

Flavonoids and bioactive coumarins of *Tordylium apulum* — 637 C. KOFINAS, I. CHINOU, A. LOUKIS, C. HARVALA, M. MAILLARD and K. HOSTETTMANN

Chemotaxonomy

γ-Glutamyl-*S*-ethenylcysteine: a dipeptide from *Vicia narbonensis* — 643 D. ENNEKING, I. M. DELAERE and M. E. TATE

Bioactive Plant Products

Two triterpene esters from *Terminalia macroptera* bark — 647 J. CONRAD, B. VOGLER, I. KLAIBER, G. ROOS, U. WALTER and W. KRAUS

Plant Chemistry

5,6-Dihydro-α-pyrones from *Syncolostemon argenteus* — 651 L. A. COLLETT, M. T. DAVIES-COLEMAN and D. E. A. RIVETT

(−)-Eudesma-1,4(15),11-triene from the essential oil of *Callitris intratropica* — 657 A. O. OYEDEJI, O. EKUNDAYO, M. M. SONWA, C. FRICKE and W. A. KÖNIG

Natural occurrence of α- and β-microbiotene — 661 S. MELCHING, A. BLUME, W. A. KÖNIG and H. MUHLE

Sesquiterpene glycosides from cotton oil cake	665	H. L. Zhang, A. Nagatsu, H. Okuyama, H. Mizukami and J. Sakakibara
Sesquiterpene glycosides and sesquilignan glycosides from stems of *Alangium premnifolium*	669	K. Kijima (nee Yuasa), H. Otsuka, T. Ide, C. Ogimi, E. Hirata, A. Takushi and Y. Takeda
A sesquiterpene dimer from *Xylopia aromatica*	677	D. Martins, E. Osshiro, N. F. Roque, V. Marks and H. E. Gottlieb
Clerodane-type diterpenoids from axenic cultures of the liverwort *Jamesoniella autumnalis*	681	H. Tazaki, K. Nabeta and H. Becker
Neo-clerodane diterpenoids from *Scutellaria lateriflora*	687	M. Bruno, M. Cruciata, M. L. Bondi, F. Piozzi, M. C. De La Torre, B. Rodriquez and O. Servettaz
Saikosaponins from *Taverniera aegyptiaca*	693	H. A. Hassanean
A 1,4-anthraquinone-dihydroanthracenone dimer from *Senna sophera*	699	G. Alemayehu, B. Abegaz and W. Kraus
Coumarins from *Kielmeyera argentea*	703	F. G. Cruz, N. A. S. Santos, J. M. David, M. L. S. Guedes and J. P. Chávez
Two 6,7-dioxygenated coumarins from *Pterocaulon virgatum*	707	S. L. Debenedetti, E. L. Nadinic, J. D. Coussio, N. De Kimpe and M. Boeykens
Lignan and acetylenic glycosides from *Aster auriculatus*	711	C. Z. Wang and D. Q. Yu
Neolignan glucosides from *Jasminum urophyllum*	719	Y.-C. Shen, P.-W. Hsieh and Y.-H. Kuo
Three xanthones from *Polygala cyparissias*	725	T. R. Pinheiro, V. C. Filho, A. R. S. Santos, J. B. Calixto, F. D. Monache, M. G. Pizzolatti and R. Yunes
Acylated anthocyanins from the blue-purple flowers of *Triteleia bridgesii*	729	K. Toki, N. Saito and T. Honda
Prenylated flavones and phenylpropanoid derivatives from roots of *Dorstenia psilurus*	733	B. T. Ngadjui, E. Dongo, E. N. Happi, M.-T. Bezabih and B. M. Abegaz
Two flavonoid triglycosides from *Buddleja madagascariensis*	739	A. M. Emam, R. Elias, A. M. Moussa, R. Faure, L. Debrauwer and G. Balansard
Sodium aristolochate derivatives from leaves of *Aristolochia foveolata*	743	Y.-L. Leu, Y.-Y. Chan and T.-S. Wu
Two piperidine alkaloids from *Siphocampylus verticilatus*	747	M. W. Biavatti, R. T. Brown and C. A. M. Santos
Short Reports		
An expoxidized iridal from *Iris germanica* var "Rococo"	751	J.-P. Bonfils, F.-J. Marner and Y. Sauvaire
A furostanol saponin from fruits of *Balanites aegyptiaca*	755	M. S. Kamel
Leaf flavonoids of *Albizia lebbeck*	759	A. M. D. El-Mousallamy
Book Review		
The Alkaloids, Chemistry and Biology	763	J. B. Harborne

Number 5

Graphical Abstracts vii

Growth and Metabolism

A galactose-specific lectin from the red marine alga *Ptilota filicina* 765 A. H. Sampaio, D. J. Rogers and C. J. Barwell

A glycoprotein from *Ceratocystis fimbriata* f. sp. *platani* triggers phytoalexin synthesis in *platanus* × *acerifolia* cell-suspension cultures 771 I. Alami, S. Mari and A. Clérivet

Subcellular localization of the *N*-3 methyltransferase involved in caffeine biosynthes in tea 777 A. Kato, A. Crozier and H. Ashihara

Molecular weight distribution of polyisoprene from *Lactarius volemus* 781 N. Ohya, J. Takizawa, S. Kawahara and Y. Tanaka

Ecological Biochemistry

Sulfur-containing compounds from *Scorodocarpus borneensis* and their antimicrobial activity 787 H. Lim, K. Kubota, A. Kobayashi and F. Sugawara

An increase in the luteolin: apigenin ratio in *Marchantia polymorpha* on UV-B enhancement 791 K. R. Markham, K. G. Ryan, S. J. Bloor and K. A. Mitchell

Cell Culture and Biotechnology

Essential oils and hydrocarbons from leaves and calli of *Origanum vulgare* ssp. *virens* 795 I. M. S. Alves-Pereira and M. Fernandes-Ferreira

Chemotaxonomy

Heterocyst glycolipids from nitrogen-fixing cyanobacteria other than nostocaceae 801 A. Gambacorta, E. Pagnotta, I. Romano, G. Sodano and A. Tricone

Sesquiterpenes from *Santolina chamaecyparissus* subsp. *squarrosa* 807 A. F. Barrero, R. Alvarez-Manzaneda, J. F. Quilez and M. M. Herrador

NMR assignments of depsides and tridepsides of the lichen family umbilicariaceae 815 T. Narui, K. Sawada, S. Takatsuki, T. Okuyama, C. F. Culberson, W. L. Culberson and S. Shibata

Anthocyanins from flowers and leaves of *Nymphaea* × *marliacea* cultivars 823 T. Fossen, Å. Larsen and Ø. M. Andersen

Flavonoids in *Saintpaulia ionantha* expressing the fantasy mutation 829 R. J. Griesbach

Plant Chemistry

Sulfur-containing glucosides from *Clinacanthus nutans* 831 K.-I. Teshima, T. Kaneko, K. Ohtani, R. Kasai, S. Lhieochaiphant, C. Picheansoonthon and K. Yamasaki

Stoloniferins VIII-XII, resin glycosides, from *Ipomoea stolonifera* 837 N. Noda, N. Takahashi, K. Miyahara and C.-R. Yang

Components of the ether-insoluble resin glycoside-like fraction from *Cuscuta chinensis* 843 X.-M. Du, K. Kohinata (née Tsuji), T. Kawasaki, Y.-T. Guo and K. Miyahara

Grandilobalides A, B and C, sesquiterpenes from the liverwort *Porella grandiloba* 851 H. Tazaki, F. Ishikawa, H. Soutome and K. Nabeta

Taxoids from *Taxus cuspidata* var. *nana* 857 H. MORITA, A. GONDA, L. WEI, Y. YAMAMURA, H. WAKABAYASHI, K. TAKEYA and H. ITOKAWA

Triterpenes from *Rhus taitensis* 863 A. YÜRÜKER, J. ORJALA, O. STICHER and T. RALI

Triterpene saponins from *Scabiosa rotata* 867 T. BAYKAL, T. PANAYIR, D. TASDEMIR, O. STICHER and I. ÇALIS

Triterpenoid saponins from *Zygophyllum decumbens* 875 K. PÖLLMANN, K. SCHALLER, U. SCHWEIZER, M. H. A. ELGAMAL, H. SHAKER and K. SEIFERT

A triterpenoid saponin from *Cyclamen coum* 881 N. YAYLI, C. BALTACI, A. ZENGIN, M. KUÇUKISLAMOGLU and H. GENC

Saponins from *Gliricidia sepium* 885 K. KOJIMA, X.-B. ZHU and Y. OGIHARA

Structure and synthesis of [*n*]-dehydroshogaols from *Zingiber officinale* 889 T.-S. WU, Y.-C. WU, P.-L. WU, C.-Y. CHERN, Y.-L. LEU and Y.-Y. CHAN

A bibenzyl from *Empetrum nigrum* 893 T. JAREVÅNG, M.-C. NILSSON, A. WALLSTEDT, G. ODHAM and O. STERNER

Organ-specific chemical differences in *Glycosmis trichanthera* 897 S. VAJRODAYA, M. BACHER, H. GREGER and O. HOFER

Short Reports

A *C,O*-diglucosylated oxanthrone from *Aloe littoralis* 903 E. DAGNE, D. BISRAT, C. CODINA and J. BASTIDA

A prenylated flavanone from roots of *Amorpha fruticosa* 907 M. OHYAMA, T. TANAKA and M. IINUMA

Piperidine alkaloids and other constituents of *Dialypetalum floribundum* 911 H. C. KREBS and H. RAMIARANTSOA

Number 6

Graphical Abstracts vii

Growth and Metabolism

Carbohydrate metabolism in ripening banana fruit 915 T. N. PRABHA and N. BHAGYALAKSHMI

Rhamnan sulfate from cell walls of *Monostroma latissimum* 921 J.-B. LEE, T. YAMAGAKI, M. MAEDA and H. NAKANISHI

Effect of brassinosteroids on growth, metabolite content and yield of *Arachis hypogaea* 927 B. V. VARDHINI and S. S. R. RAO

Acylphloroglucinols and flavonoid aglycones produced by external glands on the leaves of two *Dryopteris* ferns and *Currania robertiana* 931 E. WOLLENWEBER, J. F. STEVENS, M. IVANIC and M. L. DEINZER

Ecological Biochemistry

Putaminoxins D and E from *Phoma putaminum* 941 A. EVIDENTE, R. CAPASSO, A. ANDOLFI, M. VURRO and M. C. Zonno

A 2-arylbenzofuran from roots of *Cicer bijugum* associated with fusarium wilt resistance 947 P. C. STEVENSON and N. C. VEITCH

Biosynthesis

Biosynthesis of the isoprene units of chamomile sesquiterpenes 953 K.-P. Adam and J. Zapp

Isopentenyl diphosphate isomerase and prenyltransferase activities in rubiaceous and apocynaceous cultures 961 A. C. Ramos-Valdivia, R. van der Heijden and R. Verpoorte

Cell Culture and Biotechnology

Geranyl isovalerate accumulation in adventitious root culture of *Anthemis nobilis* 971 T. Omoto, I. Asai, K. Ishimaru and K. Shimomura

Accumulation of podophyllotoxin and related lignans in cell suspension cultures of *Linum album* 975 T. Smollny, H. Wichers, S. Kalenberg, A. Shahsavari, M. Petersen and A. W. Alfermann

Production of macrocyclic ellagitannin oligomers by *Oenothera laciniata* callus cultures 981 S. Taniguchi, N. Nakamura, M. Nose, S. Takeda, R. Yabu-uchi, H. Ito, T. Yoshida and K. Yazaki

Chemotaxonomy

Anhydroaplysiadiol from *Laurencia japonensis* 987 Y. Takahashi, M. Suzuki, T. Abe and M. Masuda

Free flavonoid aglycones from leaves of *Mentha pulegium* and *Mentha suaveolens* (Labiatae) 991 F. Zaidi, B. Voirin, M. Jay and M. R. Viricel

The distribution of isoflavonoids in *Cicer* 995 P. C. Stevenson and N. C. Veitch

Bioactive Plant Products

Nahocols and isonahocols, endothelin antagonists from the brown alga, *Sargassum autumnale* 1003 N. Tsuchiya, A. Sato, H. Haruyama, T. Watanabe and Y. Iijima

Plant Chemistry

Monoterpenoid glycosides from *Ligustrum robustum* 1013 J. Tian, H.-J. Zhang, H.-D. Sun, L.-T. Pan, P. Yao and D.-Y. Chen

Sesquiterpene hydrocarbons in the liverwort *Dumortiera hirsuta* 1019 Y. Saritas, N. Bülow, C. Fricke, W. A. König and H. Muhle

Diterpenoids from *Isodon flavidus* 1025 Q.-S. Zhao, J. Tian, J.-M. Yue, S.-N. Chen, Z.-W. Lin and H.-D. Sun

ENT-Labdanes in *Eupatorium buniifolium* 1031 C. R. Carreras, P. C. Rossomando and O. S. Giordano

Tricyclic diterpenes from *Hyptys dilatata* 1035 J. G. Urones, I. S. Marcos, D. Diez and L. Cubilla R

Moschatine: an unusual steroidal glycoside from *Centaurea moschata* 1039 S. D. Sarker, L. Dinan, V. Šik and H. H. Rees

Stilbene derivatives in the stem of *Parthenocissus quinquefolia* 1045 T. Tanaka, M. Iinuma and H. Murata

Two chromenes from *Evodia lepta* 1051 G.-L. Li and D.-Y. Zhu

Benzopyran dimers from *Melicope ptelefolia* 1055 N. H. Van, C. Kamperdick, T. V. Sung and G. Adam

Dibenzocyclooctadiene lignans from *Kadsura angustifolia* 1059 Y.-G. Chen, P. Wang, Z.-W. Lin, H.-D. Sun, G.-W. Qin and Y.-Y. Xie

Maldi-tof analysis of mixtures of 3-deoxyanthocyanidins and anthocyanins 1063 J. A. Sugui, C. Bonham, S.-C. Lo, K. V. Wood and R. L. Nicholson

Short Reports

Sesquiterpenes from *Celastrus paniculatus* subsp. *paniculatus* 1067 K. Zhang, Y. Wang, Y. Chen, Y. Tu, H. Huimin, H. Xiaofeng and F. Jinsong

4′-Demethylknipholone from aerial parts of *Bulbine capitata* 1071 M. Bezabih and B. M. Abegaz

A chromene from *Piper aduncum* 1075 D. de L. Moreira, E. F. Guimarães and M. A. C. Kaplan

2,5-Diaryl-3,4-dimethyltetrahydrofuran lignans from *Talauma hodgsonii* 1079 L. M. Vieira, A. Kijjoa, A. M. S. Silva, I.-O. Mondranondra and W. Herz

Thiazinedione from *Xanthium strumarium* 1083 Y.-T. Ma, M.-C. Huang, F.-L. Hsu and H.-F. Chang

Number 7

Graphical Abstracts vii

Review Article No. 131

Natural acetogenins from annonaceae, synthesis and mechanisms of action 1087 M. C. Zafra-Polo, B. Figadère, T. Gallardo, J. R. Tormo and D. Cortes

Growth and Metabolism

Identification of a thylakoid peroxidase of barley which oxidises hydroquinone 1119 J. M. Zapata, B. Sabater and M. Martín

60 kD Polypeptide of cell wall acid phosphatase from tobacco cells 1125 T. S. Kaneko, C. Kuwabara, S. Tomioka and K. Suzuki

Ecological Biochemistry

Ascaulitoxin, a phytotoxic *bis*-amino acid *N*-glucoside from *Ascochyta caulina* 1131 A. Evidente, R. Capasso, A. Cutignano, O. Taglialatela-Scafati, M. Vurro, M. C. Zonno and A. Motta

Sphaeropsidone and episphaeropsidone, phytoxic dimedone methyl ethers produced by *Sphaeropsis sapinea* f. sp. *cupressi* grown in liquid culture 1139 A. Evidente, L. Sparapano, O. Fierro, G. Bruno, F. Giordano and A. Motta

Biosynthesis

Biosynthesis of glucosinolates in the developing silique walls and seeds of *Sinapis alba* 1145 L. Du and B. A. Halkier

The 3-*O*-glucosylation of steroidal sapogenins and alkaloids in eggplant (*Solanum melongena*); evidence for two separate glucosyltransferases 1151 C. Paczkowski, M. Kalinowska and Z. A. Wojciechowski

Cell Culture and Biotechnology

Neosartorin, an ergochrome biosynthesized by *Neosartorya fischeri* 1161 B. Proksa, D. Uhrín, T. Liptaj and M. Sturdíková

Unusual flavonoids produced by *callus* of *Hypericum perforatum* 1165 A. C. P. Dias, F. A. Tomás-Barberán, M. Fernandes-Ferreira and F. Ferreres

Chemotaxonomy

A *seco*-cycloartane from *Illicium verum* 1169 L.-K. Sy and G. D. Brown

Diterpenes and sterols from *Neoboutonia melleri* 1173 W. Zhao, J.-L. Wolfender, S. Mavi and K. Hostettmann

Three β-coumaronones from *Sparaxis tricolor* 1179 Y. Imakura, T. Kawata, H. Hara, Y. Hayafuji, T. Singhu, S. Kobayashi, K. Kawazde, Y. Takaishi, T. Hashimoto and S. Yamasita

Isoflavonoids from *Sophora secundiflora*, *S. arizonica* and *S. gypsophila* 1187 T. Tanaka, M. Ohyama, M. Iinuma, Y. Shirataki, M. Komatsu and C. L. Burandt

Bioactive Plant Products

A cyclosporin from *Mycelium sterilae* 1195 M. Buchta, A. Jegorov, L. Cvak, V. Havlíček, M. Buděšínský and P. Sedmera

Two alkaloids from *Zephyranthes carinata* 1199 K. Kojoma, M. Mutsuga, M. Inoue and Y. Ogihara

Plant Chemistry

Lipid constituents of the red alga *Acantophora spicifera* 1203 S. Wahidulla, L. D'Souza and M. Govenker

Three sesquiterpenes from *Artemisia annua* 1207 L.-K. Sy and G. D. Brown

Diterpenes from *Spiraea japonica* 1213 X.-J. Hao and J.-L. Nie

Two pentacyclic diterpene esters from *Euphorbia decipiens* 1217 V. U. Ahmad and A. R. Jassbi

Two isomeric glycoside sesquiterpenes from *Machaeranthera tanacetifolia* 1221 M. Martínez-Vázquez, A. N. García-Argáez, J. L. Bueno, G. Espinosa and J. S. Calderón

Jatrowedione, a lathyrane diterpene from *Jatropha weddelliana* 1225 R. L. Brum, N. K. Honda, S. M. Mazarin, S. C. Hess, A. J. Cavalheiro and F. D. Monache

Harpuloside a triterpenoid saponin from *Harpullia ramiflora* 1229 C. Dizes, F. Gerald, C. Lavaud, R. Elias, R. Faure, G. Massiot and G. Balansard

Triterpenoid saponins from *Baptisia australis* 1233 M. Udayama, J. Kinjo and T. Nohara

Polyacetylenes, terpenoids and flavonoids from *Bupleurum spinosum* 1237 A. F. Barrero, A. Haídour, M. Muñoz-Dorado, M. Akssira, A. Sedqui and I. Mansour

A resveratrol dimer from *Parthenocissus tricuspidata* 1241 T. Tanaka, M. Ohyama, K. Morimoto, F. Asai and M. Inuma

Glycosides from *Wahlenbergia marginata* 1245 R. X. Tan, W. G. Ma, H. X. Wei and L. X. Zhang

A-type proanthocyanidins from pericarp of *Litchi chinensis* 1251 E. Le Roux, T. Doco, P. Sarni-Manchado, Y. Lozano and V. Cheynier

6-Hydroxy-3,5,7,4′-tetramethoxyflavone 6-rhamnoside from roots of *Pterocarpus marsupium* 1259 R. N. Yadov and R. K. R. Singh

3′,4′,5′,6′ tetradehydrolongicaudatine Y, an anhydronium base from *Strychnos usambarensis* 1263 M. Frédérich, J. Quetin-Leclercq, R. G. Biala, V. Brandt, J. Penelle, M. Tits and L. Angenot

Short Reports

7,20-Epoxy-*ent*-kaurenoids from *Isodon enanderianus* 1267 Y.-H. Wang, Y.-Z. Chen, Z.-W. Lin, H.-D. Sun and J.-S. Fan

Benzoic acid derivatives from *Stocksia brahuica* 1271 Z. Ali, V. U. Ahmad, M. Zahid and R. B. Tareen

Number 8

Graphical Abstracts vii

Growth and Metabolism

GC-MS quantification of gibberellin A_{20}-13-*O*-glucoside and gibberellin A_8-2-*O*-glucoside in developing barley caryopses 1275 B. Senns, P. Fuchs and G. Schneider

Effect of γ-radiation on the plasma and vacuolar membranes of cultured spinach cells 1281 N. Mitsuhashi, T. Koshiba and M. Satô

Antioxidant enzymes in *Nicotiana* cells containing an *Ipomoea* peroxidase gene 1287 H.-W. Yun, G.-H. Huh, S.-Y. Kwon, H.-S. Lee, J.-K. Jo and S.-S. Kwak

Purification of peroxidase isoenzymes from turnip roots 1291 R. R. Hamed, T. M. Maharem, M. M. A. Fatah and F. S. Ataya

Characterisation of fatty acid elongase enzymes from germinating pea seeds 1295 P. B. Barrett and J. L. Harwood

Reactions of a glucosinolate breakdown product (benzyl isothiocyanate) with myoglobin 1305 H. Rawel, J. Kroll, S. Haebel and M. G. Peter

Isolation and molecular structure of an oligomer produced enzymatically from the cuticle of lime fruit 1313 A. K. Ray and R. E. Stark

Metabolism of the tomato saponin α-tomatine by *Gibberella pulicaris* 1321 K.-M. Weltring, J. Wessels and G. F. Pauli

Cell Culture and Biotechnology

Biotransformation of artemisinic acid by cultured cells of *Artemisia annua* 1329 H. Kawamoto, Y. Asada, H. Sekine and T. Furuya

Chemotaxonomy

Fatty acids of six *Codium* species from southeast Australia 1335 X.-Q. Xu, V. H. Tran, G. Kraft and J. Beardall

Essential oil composition of *Cistus albidus* leaves 1341 C. Robles and S. Garzino

Essential oils from wild and micropropagated plants of *Origanum bastetanum* 1347 O. Socorro, I. Tárrega and F. Rivas

Highly oxygenated naphthalenes and acetophenones from the liverwort *Adelanthus decipiens* from the British isles and south America 1351 D. S. Rycroft, W. J. Cole and S. Rong

Bioactive Plant Products

3β-*p*-hydroxybenzoyldehydrotumulosic acid from *Poria cocos*, and its anti-inflammatory effect 1357 K. Yasukawa, T. Kaminaga, S. Kitanaka, T. Tai, Y. Nunoura, S. Natori and M. Takido

Steroidal saponins from the rhizomes of *Hosta sieboldii* and their cytostatic activity on HL-60 cells 1361 Y. Mimaki, M. Kuroda, A. Kameyama, A. Yokosuka and Y. Sashida

Additional cytotoxic neolignans from *Persea obovatifolia* 1371 I.-L. Tsai, C.-F. Hsieh and C.-Y. Duh

Anti-platelet aggregation constituents from formosan *Toddalia asiatica* 1377 I.-L. Tsai, M.-F. Wun, C.-M. Teng, T. Ishikawa and I.-S. Chen

Plant Chemistry

5α, 7α(H)-6, 8-cycloeudesma-1β, 4β-diol from the flower buds of *Magnolia fargesii* — 1383 K. Y. Jung, D. S. Kim, S.-H. Park, I. S. Lee, S. R. Oh, J. J. Lee, E.-H. Kim, C. Cheong and H.-K. Lee

Taxayuntin H and J from *Taxus yunnanensis* — 1387 J.-Y. Zhou, P.-L. Zhang, W.-M. Chen and Q.-C. Fang

Diterpenoids and steroids from *Taiwania cryptomerioides* — 1391 W.-H. Lin, J.-M. Fang and Y.-S. Cheng

A-ring contracted triterpenoid from *Rosa multiflora* — 1399 H. Yeo, S.-Y. Park and J. Kim

Cycloartane triterpene glycosides from *Astragalus sieberi* — 1403 L. Verotta, M. Tatò, N. A. El-Sebakhy and S. M. Toaima

Triterpenoid saponins from *Berneuxia thebetica* — 1411 M.-K. Wang, H. Cai, S.-L. Peng, L.-S. Ding, F.-E. Wu and Y.-Z. Chen

Hopane-type saponins from *Polycarpon succulentum*—II — 1415 M. R. Meselhy

Dimeric chalcone derivatives from *Mallotus philippensis* — 1423 T. Tanaka, T. Ito, M. Iinuma, Y. Takahashi and H. Naganawa

Methylaurones from *Cyperus capitatus* — 1429 R. M. Seabra, A. M. S. Silva, P. B. Andrade and M. M. Moreira

Acylated anthocyanins from the flowers of *Ipomoea asarifolia* — 1433 E. Pale, M. Nacro, M. Vanhaelen, R. Vanhaelen-Fastré and R. Ottinger

Two prenylated flavanones from stem bark of *Erythrina burttii* — 1439 A. Yenesew, J. O. Midiwo, M. Miessner, M. Heydenreich and M. G. Peter

Flavonol glycosides from *Lysimachia congestiflora* — 1445 J. Guo, D.-L. Yu, L. Xu, M. Zhu and S.-L. Yang

Rotenoids from seeds of *Clitoria fairchildiana* — 1449 L. Mathias, W. B. Mors and J. P. Parente

Short Reports

C-Prenylated dihydroflavonol from *Rhynchosia densiflora* — 1453 K. V. Rao and D. Gunasekar

Barbacarpan, a pterocarpan from *Crotalaria barbata* — 1457 U. V. Babu, S. P. S. Bhandari and H. S. Garg

Erythrinan alkaloid from *Erythrina* × *bidwillii* — 1461 H. Tanaka, T. Tanaka and H. Etoh